

1. Meta-SQL where is it stored.
  - a) **Temp Table** b) SQL Table c) Query Table d) Dynamic
  
2. Which of the following menu options allows you to modify the Last Process Instance Number used within the system?
  - a) Process Scheduler, Use, Job Definitions
  - b) Process Scheduler, Use, Process Servers
  - c) **Process Scheduler, Use, Process System**
  - d) Process Scheduler, Use, Administration
  - e) Process Scheduler, Use, Process Definitions

**Not in 8.4 ...In 8.4 Process Scheduler-System Settings**

3. In which one of the following views would you see the fields, criteria, and other details associated with the current query?
  - a) Object view
  - b) Record view
  - c) Component view
  - d) Designer view
  - e) **Query view**
  
4. The Security Administrator is not available. You are in a hurry to grant a user the ability to start an application server, and you decide to make the change in the actual application server configuration file, rather than using the Security Administrator. **(7.5 QUESTION)**  
 Referring to the above information, how would you grant a user the ability to start an application server using the application server configuration file, PSAPPSRV.CFG?  
 Choice 1  
**Add the OPERATOR ID to the PSAPPSRV.CFG file, and update the STARTAPPSVR column of the PSOPRDEFN table to a value of 1.**  
 Choice 2  
 Add the OPERATOR ID to the PSAPPSRV table, and update the STARTAPPSVR column of the PSOPRDEFN table to a value of 1.  
 Choice 3  
 Add the OPERATOR ID to the PSOPRDEFN table, and update the STARTAPPSVR parameter in the PSAPPSRV.CFG file to a value of 1.  
 Choice 4  
 Add the OPERATOR ID to the PSAPPSRV.CFG file, and update the STARTAPPSVR parameter in the PSAPPSRV.CFG file to a value of 1.  
 Choice 5  
 Add the OPERATOR ID to the PSAPPSRV table, and update the STARTAPPSVR parameter in the PSAPPSRV.CFG file to a value of 1.

5. What are the steps involved in joining PS\_JOB and PS\_POSITION\_DATA and forcing a row to be returned even when there is NOT a match between the records while still maintaining **PS Query security?**  
 Choice 1  
**Create a view and include the outer join as required as part of the view. Add View to Query Tree. Select View as part of Query.**  
 Choice 2  
 Create a view and include the outer join as required as part of the view. Select View as part of Query.  
 Choice 3

Write an SQR to perform the outer join. Write the data to a temp table. Query the temp table using PS Query.

Choice 4

Create a new record and include the outer join as required. Add Record to Query Tree. Select Record as part of Query.

Choice 5

**Create an expression within PS Query joining the two records and including the outer join on the correct field.-----> (Possible only in Oracle)**

6. <Log Directory>\PTPUPRCS\_ProcessServerName\_MMDD.log

Which one of the following log files does the above log file naming syntax and path location identify?

Choice 1

Process server SQR trace

Choice 2

Process monitor log

Choice 3

**Process server agent log**

Choice 4

Process server COBOL trace

Choice 5

Process server SQL trace

8. Which one of the following steps is NOT part of performing an upgrade?

Choice 1

**Apply all outstanding patches, prior to upgrade.**

Choice 2

Perform a comparison of objects between the source and target databases.

Choice 3

Populate a project to be used for the upgrade.

Choice 4

Stamp the target database.

Choice 5

Copy the project to the database being upgraded.

9. <Log Directory>\ProcessName\_ProcessInstance.log

Which one of the following log files does the above log file naming syntax and path location identify?

Choice 1

Process server message agent log

Choice 2

Process server agent log

Choice 3

**Process server COBOL or SQR trace**

Choice 4

Process server SQL trace

Choice 5

Process monitor log

10. Your UNIX system administrator have just informed you that they are reorganizing some directory structures on the UNIX machine. They want you to determine if the PeopleSoft architecture will be affected. You quickly realize that your CAB and JAR files locations will be changed.

Referring to the above, how do you ensure the Web client will perform correctly once these directory structures have changed?

Choice 1

- Modify the ARCHIVE parameter to point to the new directory.
- Choice 2  
Modify the JAR parameter to point to the new directory.
- Choice 3  
Modify the LOCALE parameter to point to the new directory.
- Choice 4  
Modify the CAB parameter to point to the new directory.
- Choice 5  
**Modify the CODEBASE parameter to point to the new directory.**
11. How many security layers are involved in the PeopleSoft environment?
- Choice 1  
1
- Choice 2  
2
- Choice 3  
**3**
- Choice 4  
4
- Choice 5  
5
12. Which option best describes the term, upgrading, in PeopleSoft?
- Choice 1  
Migrating PeopleSoft objects from one database to another.
- Choice 2  
Installing new executables that increase the current software version to a higher version.
- Choice 3  
Migrating PeopleSoft objects and transactional data from one database to another.
- Choice 4  
**Migrating objects from one database to another, and updating system components such as software.**
- Choice 5  
Obtaining up-to-date skills on more recent versions of the products.
13. Following is an example of a command line used to login to a database in three-tier mode. However, something is wrong with this command. PSTOOLS -CTAPPSERVER -CDRVDB -CODVB -CPDVB  
Why will the above command line fail?
- Choice 1  
**The database type parameter value is incorrect. (CORRECT WILL BE APPSRV)**
- Choice 2  
The operator ID parameter's value is not specified.
- Choice 3  
The operator password parameter's value is not specified.
- Choice 4  
The database name parameter is incorrect.
- Choice 5  
The database type parameter is not specified.
14. Which one of the following is NOT a component of the various tree types in the PeopleSoft tree manager?
- Choice 1  
**Root**
- Choice 2  
Setid/Effective date
- Choice 3

**Record definition**

Choice 4

Tree structure

Choice 5

Category

15. You have a situation where a field value changes, and you don't know how it changed. There are two ways to find all references to a field.

Referring to the above information, which of the following two tools will help you find ALL references to a field?

Choice 1

Find in PeopleCode (in Application Designer) and Find Object References (in Application Designer)

Choice 2

Find in PeopleCode (in Application Designer) and Cross Reference Reports

Choice 3

Find Object References (in Application Designer) and PeopleSoft Query

Choice 4

Find in PeopleCode (in Application Designer) and PeopleSoft Query

Choice 5

**Find Object References (in Application Designer) and Cross Reference Reports**

16. Which one of the following security administrator profiles does NOT have a password associated with it?

Choice 1

Tree

Choice 2

Access

Choice 3

Operator

Choice 4

Object

**Choice 5 Class**

17. What does the ACCEPT operation of the application reviewer LOG file do?

Choice 1

**Causes control to transfer to the next level-1 statement.**

Choice 2

Duplicates the value of the top element on the stack.

Choice 3

Passes control to the specified instruction location.

Choice 4

Adds the contents of the top two items on the stack, and pushes the result onto the stack.

Choice 5

Retrieves the value of record.field, and pushes it onto the stack.

18. Which one of the following database management systems requires the use of the Connect ID and Connect Password in the configuration manager signon defaults section?

Choice 1

**DB2**

Choice 2

Microsoft SQL Server

Choice 3

SQLBase

Choice 4

Oracle

Choice 5

Sybase

19. How does granting a user authority to start an application server affect other authorizations granted to that same user?

Choice 1

*None of the user's current authorizations are affected by the change.*

Choice 2

All other authorizations are disabled until the user starts an application server.

Choice 3

Only authorizations granted to PeopleTools objects are disabled.

Choice 4

The user is no longer allowed to start a process scheduler service.

Choice 5

The user is granted full System Administrator access to the database in the three-tier mode.

20. Report Output files are stored in

1. App Srv 2. Batch Srv 3. Web Srv *4. File Srv*

21. Which process is used for running AE programs which are to be run at a frequency of less than a day ?

- PSAppsrv
- PSAESRV
- *PSDAEMON*
- PSQCKSRV

22. You are a PeopleSoft Partner and wish to get information on database performance benchmark ( *or something like this*)

Where would you look for the info ?

Partner Alliance

Alliance Partner

PeopleSoft Knowledge base

Partner knowledge base

*(there was one more choice)*

23. For downloading patches and fixes , you have gone to the customer connection and looking under 8 april, 2000 and see Report IDS like R-CCHEN-VP14JM. What does R stand for ?

Tools

Released  
Required  
**Application**  
Resolved

24. You have downloaded an Application fix as a project from the customer connection. Where would you upgrade it to ?

**Demo**  
Production db  
development db  
Application upgrade

25. Your company obtained the newest Application Release of PeopleSoft, and you need to prepare for the upgrade. Upon reading the new Release Notes, you notice that changes were made to two COBOL modules (batch programs).

You need to decide how to compare the current versions of these COBOL programs with the versions delivered with the new PeopleSoft application release. Which would be the fastest method of comparing these different versions?

- a) Find Object References.
- b) Application Designer, Compare Batch Programs.
- c) Application Designer, Upgrade View.
- d) Use non-PeopleSoft comparison tools.**
- e) Application Designer, Tools, Upgrade, Compare & Report.

26. UPDATE PSLOCK SET SECURITY\_OPTION = ";

What function does the above SQL statement perform?

- a) Disables the PSLOCK security option for ALL users.**
- b) Enables the PSLOCK security option for the current user ONLY.
- c) Suspends the PSLOCK security option for the current transaction.
- d) Enables the PSLOCK security option.
- e) Disables the PSLOCK security option for the current user ONLY.

28. What is PeopleSoft's recommended way to access panel groups and the business logic associated with them outside of PeopleSoft online panels?

Choice 1

### **Component Interface**

Choice 2

Application engine

Choice 3

Database agent

Choice 4

**Application designer**

Choice 5

Web client

29. Which one of the following is NOT a component of the Process Scheduler?

Choice 1

**Process scheduler server shutdown**

Choice 2

- Process monitor
- Choice 3
- Process scheduler server agent
- Choice 4

- Process scheduler PeopleTool
- Choice 5
- Process scheduler request dialog

30. Your application users are experiencing problems with one of the customizations your development team has recently worked on. The customization involved changes to a PeopleCode object within the database. You decide to use Application Reviewer to debug the PeopleCode. When you try to start the Application Reviewer you receive an error that the Reviewer cannot be started.

Referring to the above, why is the Application Reviewer unable to start in your normal three-tier client configuration?

- Choice 1

***The three-tier database server is not configured to allow Application Reviewer***

***access.***

- Choice 2

The database connectivity software has not been installed on the workstation you are currently using.

- Choice 3

The database server software has been disabled not allowing it to accept incoming requests from the workstation you are currently using.

- Choice 4

***Access to the Application Reviewer has not been granted through the Security Administrator.***

- Choice 5

The PeopleCode object you are trying to debug is currently being modified by another member of the development team.

31. Why would the File, New and File, Delete menu items be disabled in the security administrator interface?

- Choice 1

You have not been granted access to the menu items within security administrator.

- Choice 2

You have not been granted access to department security.

- Choice 3

**You have not been granted object security access.**

- Choice 4

You do not have access to the tree manager.

- Choice 5

You have not been granted access for creating and deleting operator and class definitions.

32. Which of the tools below would you use to view the business process map display?

- a) Tree manager
- b) Security administrator
- c) Utilities
- d) Application designer
- e) Navigator

33. Where do you define the properties for Process Scheduler process security groups?

- a) Define Business Rules, Define General Options
- b) Security Administrator**
- c) Process System
- d) Process Scheduler
- e) Application Designer

34. Which one of the following situations requires the installation of database connectivity software on the client workstation in a three-tier environment?

- a) If you run application designer
- b) If you wish to run a process on the server
- c) If you run a SQL statement trace
- d) If you wish to change an object in the database**
- e) If you need to perform an application upgrade

35. Which one of the following database management systems requires the use of the Connect ID and Connect Password in the configuration manager signon defaults section?  
Choice 1

**DB2**

**Choice 2**

**Microsoft SQL Server**

**Choice 3**

**SQLBase**

**Choice 4**

**Oracle**

**Choice 5**

**Sybase**

36. Where do you create the process security groups?

- a) Application Designer
- b) Process Scheduler
- c) Define Business Rules, Define General Options
- d) Security Administrator**
- e) Process System

37) You can assign multiple databases and application servers to a single profile. But, each database and application server must be assigned to only one profile

- a) True**
- b) False

38. State Record can be Dynamic Record?

- a) True
- b) False**

39. AE does Parse SQL?

- a) True
- b) False**

40. -Trace 255 command line option produces the trace file with the name?

- a). PI.AET
- b). **PID.AET**
- c). PD.AET
- d). None of the above

41. We define business rules PeopleCode on

- a. **event definition**
- b. worklist record definition
- c. worklist component record
- d. worklist definition

42. Worklist for a particular user contains **marked worked** and **reassigned** buttons. The reassigned button is set from

- 1. appdesigner -> worklist record - > properties
- 2. appdesigner -> event definition
- 3. **appdesigner -> worklist definition**
- 4. peopletools -> workflow-> business process definition

43. The field mapping button on worklist definition is used for for mapping the fields of worklist record that can be visible on worklist message. We can assign the following type of values to it

- 1. A constant value
- 2. A Recfield name
- 3. A role name
- 4. **All of the above**