

- Q.1 Life appeared on earth
- (A)  $\approx$  5000 million years ago
  - (B)  $\approx$  3500 million years ago
  - (C)  $\approx$  1000 million years ago
  - (D)  $\approx$  500 million years ago
- Q.2 Animals are classified into hierarchical groups. In which of the following, would you find the largest number of species?
- (A) Genus
  - (B) Order
  - (C) Class
  - (D) Family
- Q.3 Human chromosome 1 to 22 are serially numbered
- (A) In ascending order of their length
  - (B) In descending order of their length
  - (C) Relative position of the centromere from ends of the chromosome
  - (D) In order of their position in the cell
- Q.4 Microfilaments are fine protein filaments often abundant in eukaryotic cells. They are made up of the protein
- (A) Actin
  - (B) Albumin
  - (C) Globin
  - (D) Fibrin
- Q.5 The subcellular organelle not bound by a single membrane is
- (A) Golgi apparatus
  - (B) Lysosomes
  - (C) Endoplasmic reticulum
  - (D) Mitochondria
- Q.6 The storage carbohydrate in animal is
- (A) Starch
  - (B) Cellulose
  - (C) Glycogen
  - (D) Glucose

Q.7 The hormone testosterone is produced by

- (A) Leydig cells
- (B) Spermatocyte
- (C)  $\beta$  cells of Pancreas
- (D) Melanocytes

Q.8 The predominant antibody in saliva is

- (A) IgG
- (B) IgA
- (C) IgM
- (D) IgD

Q.9 Secondary consumers in ecological parlance are

- (A) Organisms that are omnivores
- (B) Organisms that eat only carnivores
- (C) Organisms that eat only herbivores
- (D) Organisms that are herbivores

Q.10 In the fish species, where internal fertilization occurs, the parental care is provided by

- (A) Both parents
- (B) Neither parents
- (C) Father
- (D) Mother

Q.11 – 30 carry two marks each

Q.11 Which pair of bases of nucleic acids differ from each other having a hydrogen or a methyl group in 5<sup>th</sup> position?

- (A) Adenine and Guanine
- (B) Cytosine and Thymine
- (C) Thymine and Uracil
- (D) Uracil and Cytosine

Q.12 Which is the correct statement of the following pertaining to the mass of bases present in a double stranded DNA with 50% GC content?

- (A)  $A = T$  ✓
- (B)  $C > G$
- (C)  $A > T$
- (D)  $T > A$

- Q.13 Nucleosomes contain a core and a linker region. The histones present in the core region and the histones present in the linker region are
- (A) Core (H1, H2A, H2B, H3)<sub>2</sub>, Linker H4
  - (B) Core (H2A, H2B, H3, H4)<sub>2</sub>, Linker H1
  - (C) Core (H2B, H3, H4, H1)<sub>2</sub>, Linker H2A
  - (D) Core (H4, H2A, H2B, H1)<sub>2</sub>, Linker H3
- Q.14 Two species are considered phylogenetically closer because
- (A) there was very little difference between a protein they made
  - (B) the base sequence in the messenger RNA they synthesized in a given time were similar
  - (C) they made the same carbohydrate
  - (D) the base sequence of their ribosomal RNA were very similar
- Q.15 The secretory IgA was electrophoresed on SDS-PAGE under reduced and denaturing condition. The number of polypeptide bands detected on the gel is (are)
- (A) 2
  - (B) 3
  - (C) 4
  - (D) 5
- Q.16 The following are the primary lymphoid organs in mammals
- (A) Spleen and Thymus
  - (B) Bone marrow and Thymus
  - (C) Thymus and Lymph node
  - (D) Spleen and Lymph node
- Q.17 Telomerase activity was monitored in the following cell types. The highest amount of telomerase activity was found in the combination of
- (A) Embryonic stem cells and Hematopoietic stem cells
  - (B) Nerve cells and Muscle cells
  - (C) Erythrocytes and Macrophages
  - (D) Hepatocytes and Eosinophiles
- Q.18 Apicoplast is a unique organelle in malarial parasite which can be used as a specific drug target. The macromolecular transactions that take place in apicoplast are
- (A) DNA replication, transcription, fatty acid biosynthesis, nucleotide biosynthesis
  - (B) DNA replication, transcription, translation, fatty acid biosynthesis
  - (C) Translation, fatty acid biosynthesis, nucleotide biosynthesis, protein biosynthesis
  - (D) Nucleotide biosynthesis, fatty acid biosynthesis, amino acid biosynthesis, carbohydrate biosynthesis

- Q.19 During oogenesis and spermeogenesis starting from single oocyte or single spermatocyte, the respective number of ovum and sperm generated are
- (A) two ova and two sperms
  - (B) one ovum and four sperms
  - (C) four ova and four sperms
  - (D) four ova and one sperm
- Q.20 A male rabbit was hyperimmunized with sheep red blood cells and produced high titer antibody (1:20,000). The plasma cells of this animal revealed hypermutation of the antibody genes. The animal was crossed with a normal female and a litter containing one male and one female offspring was obtained in F1 generation. The F1 rabbits, when four months old were bled and their serum titer for sheep red blood cells was monitored. The titers that were obtained in the F1 rabbits are
- (A) F1 male (1:20,000) and F1 female (0)
  - (B) F1 male (1:10,000) and F1 female (1:10,000)
  - (C) F1 male (0) and F1 female (1:20,000)
  - (D) F1 male (0) and F1 female (0)
- Q.21 In order for the blood to flow from right ventricle to left atrium in mammalian heart, it must flow through
- (A) Right ventricle → Pulmonary arteries → Lungs → Pulmonary veins → Left atrium
  - (B) Right ventricle → Pulmonary veins → Lungs → Pulmonary arteries → Left atrium
  - (C) Right ventricle → Right atrium → Lungs → Pulmonary veins → Left atrium
  - (D) Right ventricle → Systemic aorta → Lungs → Pulmonary veins → Left atrium
- Q.22 Long limbs are adapted for running. Choose the correct order for the relative length of the limbs in animals evolved for the gaits listed below
- (A) Plantigrade > Digitigrade > Unguligrade
  - (B) Unguligrade > Digitigrade > Plantigrade
  - (C) Digitigrade > Unguligrade > Plantigrade
  - (D) Digitigrade > Plantigrade > Unguligrade
- Q.23 A man found to be suffering from a disorder linked to sex chromosome. All the sons and daughters did not suffer from the disease. This is because
- (A) The man's father was a carrier of the disease trait
  - (B) The man's paternal grandmother was a carrier of the disease trait
  - (C) The man's paternal grandfather was a carrier of the disease trait
  - (D) The man's mother was a carrier of the disease trait



Q.24 The net order of primary productivity in terms of accumulation of drug organic matter per  $m^2$  per year for various terrestrial communities is

- (A) Tropical forest > Temperate forest > Boreal forest > Cultivated land
- (B) Cultivated land > Boreal forest > Temperate forest > Tropical forest
- (C) Temperate forest > Tropical forest > Cultivated land > Boreal forest
- (D) Cultivated land > Tropical forest > Temperate forest > Boreal forest

Q.25 When new male lions take over a pride, they often engage in infanticide. The reason attributed for the same is

- (A) The females of the pride are brought to estrous by killing of suckling infants
- (B) The infants interfere with hunting
- (C) They hate the former males of the pride and therefore kill their infants
- (D) To prove their dominance in the pride

Q.26 The cross over frequency (Cross Over Value = COV) for a four gene loci (P Q R S) on a chromosome are

$$P - Q = 30; Q - R = 25; Q - S = 15; R - S = 10 \text{ and } P - R = 5$$

The sequence in which they occur is

- (A) PQRS or SRQP
- (B) SQRP or PRQS
- (C) RSPQ or QPSR
- (D) PRSQ or QSRP

Q.27 In a population, the frequency of a recessive allele is 10%. The heterozygotes genotypes (Aa) frequency in the population in percent is

- (A) 10 %
- (B) 81 %
- (C) 18 %
- (D) 90 %

Q.28 Experiments carried out has shown that Rohu and Catla, two common edible fresh water fish have the equal chance of being caught in the net. In a small lake, 100 tagged Rohu were released. Next day, a fisherman caught 10 tagged Rohu, 12 untagged Rohu and 8 Catla in his net. The fish population remaining in the lake is

- (A) 120 Rohu and 80 Catla
- (B) 220 Rohu and 80 Catla
- (C) 198 Rohu and 72 Catla
- (D) 108 Rohu and 72 Catla

Q.29 Reverse transcriptase is

- (A) RNA dependant DNA polymerase and DNA dependant DNA polymerase
- (B) RNA dependant RNA polymerase and DNA dependant RNA polymerase
- (C) DNA dependant DNA polymerase and DNA dependant RNA polymerase
- (D) RNA dependant DNA polymerase and RNA dependant RNA polymerase

Q.30 The two scientists who were awarded the Nobel Prize in physiology or medicine for their studies in the area of animal behaviour are

- (A) B. Benaceraf and Karl von Frisch
- (B) K. Lorenz and S. Tonegawa
- (C) Karl von Frisch and K. Lorenz
- (D) B. Benaceraf and S. Tonegawa